

**NATA Accredited Laboratory Number : 4105  
 Drug Screening Certificate**

**Certificate Number:** RS21/13313  
**Client:** Pillar Performance  
**Samples Received:** 10 September 2021

Page 1 of 1

Sample No.	Product Name	Flavour / Variant	Specimen Type	Batch No.	Expiry Date	Result
RS21/13313-1	Triple Magnesium Professional Recovery Powder	Berry	Powder Supplement	35644	Jan 24	ND
RS21/13313-2	Triple Magnesium Professional Recovery	NA	Tablet Supplement	35653	Dec 23	ND
RS21/13313-3	Zinc Immune Training Advantage	NA	Tablet Supplement	35647	Dec 23	ND
RS21/13313-4	GCM Complex Joint Freedom	NA	Tablet Supplement	56687	Dec 23	ND
RS21/13313-5	Elite Calcium Bone Strength	NA	Tablet Supplement	56686	Dec 23	ND

**Result Key:**

**ND** - no prohibited substance detected as per method MS123.

\* - Prohibited substance detected

# - Samples not analysable/not fully analysable

**Analysis Requested**

HASTA supplement screening test for WADA prohibited substances

**Test Method** MS123

*This result is for the sample supplied and cannot provide a 100% guarantee that all product is free from contamination as the batch may not be homogenous.*

Signed:   
 Louise Barker (Analytical Chemist)

**Dated:** 28 September 2021

ACCREDITED FOR COMPLIANCE WITH ISO/IEC 17025-TESTING

The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/National Standards.

RASL Certificate 1 V1.3. Issue date 12 Aug 2019. Approved by D.Batty

Sample analysed as received.

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL